

BOTSWANA AIDS INDICATOR TABLES

BOTSWANA

Sources MICS: Multiple Indicator Cluster Survey
 AIS: HIV/AIDS Indicator Survey

Stigma and Discrimination

#	Indicator	2001 AIS				2004 BAIS II	
		Urban		Rural		(Ages 10-64)	
		M	F	M	F	M	F
3.1.1	Accepting attitudes - Willing to care for family member sick with AIDS (1) Ages 15-49.	88	92	83	90	91	94
3.1.2	Accepting attitudes - Would buy fresh vegetables from a shopkeeper with AIDS (2) Ages 15-49.	48	47	30	38	51	55
3.1.3	Accepting attitudes - Female teacher who is HIV+ but not sick should be allowed to continue teaching in school (3) Ages 15-49.	63	71	40	53	66	73

Knowledge

#	Indicator	2000 MICS				2001 AIS				2004 BAIS II	
		Urban		Rural		Urban		Rural		(Ages 10-64)	
		M	F	M	F	M	F	M	F	M	F
4.0.1	Heard of HIV/AIDS. Ages 15-49.		96		94	98	99	95	98	93	93
4.1	Knowledge of HIV prevention methods-composite of 2 components (prompted) Ages 15-49.		69		68	79	81	76	80		
4.1.2	Knowledge of HIV prevention methods - Use of condoms (prompted) Ages 15-49.		75		14	90	92	86	89	72	73
4.1.3	Knowledge of HIV prevention methods - Only one partner (prompted) Ages 15-49.		75		72	87	92	82	85	21	21
4.2.1	No incorrect beliefs about AIDS - Healthy-looking person can have the AIDS virus Ages 15-49.					83	86	69	73	75	76
4.5.3	Knowledge of mother to child transmission of HIV Ages 15-49.		83		76	86	91	74	83	77	83
4.5.4	Knowledge of MTCT - During pregnancy Ages 15-49.		78		74					67	75
4.5.5	Knowledge of MTCT - During delivery Ages 15-49.		66		61					59	66

BOTSWANA AIDS INDICATOR TABLES

4.5.6	Knowledge of MTCT - Through breastfeeding Ages 15-49.		72		67					71	80
4.5.7	Knowledge of MTCT - During pregnancy, delivery, and breast feeding Ages 15-49.		57		54					51	59
4.6	Comprehensive correct knowledge about AIDS (2 ways to prevent AIDS and reject 3 misconceptions) Ages 15-49.		31		37						

Voluntary Counseling and Testing

#	Indicator	2000 MICS				2001 AIS				2004 BAIS II	
		Urban		Rural		Urban		Rural		(Ages 10-64)	
		M	F	M	F	M	F	M	F	M	F
5.1	Population requesting an HIV test, receiving a test and receiving test results. Ages 15-49.					12	11	6	7		
5.1.1	Population receiving an HIV test. Ages 15-49.		20		15	27	30	6	7	20	30

Sexual Negotiation and Attitudes

#	Indicator	2001 AIS				2004 BAIS II	
		Urban		Rural		(Ages 10-64)	
		M	F	M	F	M	F
7.1	Women's ability to negotiate safer sex with husband. Ages 15-49.	75	76	61	73	84	

Sexual Behavior

#	Indicator	2001 AIS				2004 BAIS II	
		Urban		Rural		(Ages 10-64)	
		M	F	M	F	M	F
8.1	Higher risk sex in the last year. Ages 15-49.	62	51	67	57		
8.2	Condom use at last higher risk sex. Ages 15-49.	80	76	76	64		
8.2a	Condom use at last higher risk sex. Ages 15-19.	M: 95		F: 73		M/F: 85.1	
8.2b	Condom use at last higher risk sex. Ages 20-24.	M: 86		F: 76			

BOTSWANA AIDS INDICATOR TABLES

8.2c	<i>Condom use at last higher risk sex. Ages 25-49.</i>	M: 68		F: 66			
8.2.1	Condom use at last sex with a spouse or cohabiting partner. Ages 15-49.	41	48	32	26	M/F: 44.8	

Young People's Sexual Behavior

#	Indicator	2001 AIS				2004 BAIS II	
		Urban		Rural		(Ages 15-19)	
		M	F	M	F	M	F
9.2	Young people having premarital sex in last year. Ages 15-24.	38	38	40	49	31.4	
9.3	Young people using a condom during premarital sex. Ages 15-24.	90	81	88	71		
9.4	Young people having multiple partners in last year. Ages 15-24.	16	6	12	9	15-24: 5.4	
9.5.1	Young people using a condom at last higher risk sex of all young people surveyed	35	29	33	31		

STI Care and Prevention

#	Indicator	2001 AIS		2004 BAIS II	
		M	F	M	F
12.4	Men and women seeking treatment for STIs. Ages 15-49.	91*	93		

HIV Prevalence

#	Indicator	UNAIDS				2004 BAIS II	
		2003		2005		(Ages 10-64)	
		M	F	M	F	M	F
15.1	HIV prevalence among young people aged 15-24.			5.7	15.3	12.6	
15.2	HIV prevalence among general population. Ages 15-49. (sexes combined)	24		24.1		25.3	

BOTSWANA AIDS INDICATOR TABLES

NOTES:

- 1) Shaded areas are PEPFAR-specific indicators
- 2) Numbers indicate percentages unless otherwise stated
- 3) * Figures marked with an asterisk are based on small denominators (typically 25-49 unweighted cases).
Figures with denominators less than 25 cases are not displayed.