

COTE D'IVOIRE AIDS INDICATOR TABLES

COTE D'IVOIRE

Sources MICS: Multiple Indicator Cluster Survey
 AIS: HIV/AIDS Indicator Survey
 UNAIDS 2003 Report on the Global AIDS Epidemic

Condom Availability and Quality

#	Indicator	2005 AIS			
		Urban		Rural	
		M	F	M	F
2.4	Adult support of education on condom use for prevention of HIV/AIDS among young people Ages 15-49.	78.8	68.9	68.7	54.9
2.5	Knowledge of a formal source of condoms among young people. Ages 15-24.	92.4	67.9	81.8	51.6

Stigma and Discrimination

#	Indicator	2000 MICS				2005 AIS			
		Urban		Rural		Urban		Rural	
		M	F	M	F	M	F	M	F
3.1	Accepting attitudes towards those living with HIV – Composite of 4 components. Ages 15-49.					27	8.9	17.3	8.9
3.1.1	Accepting attitudes - Willing to care for family member sick with AIDS (1) Ages 15-49.					89.4	86.9	82.3	78.3
3.1.2	Accepting attitudes - Would buy fresh vegetables from a shopkeeper with AIDS (2) Ages 15-49.		19		8	60.3	52.6	44.7	38.4
3.1.3	Accepting attitudes - Female teacher who is HIV+ but not sick should be allowed to continue teaching in school (3) Ages 15-49.		48		27	74.6	68.5	55.9	38.3
3.1.5	Accepting attitudes - Approving of (2) food vendors and (3) teachers (MICS) Ages 15-49.		17		6				

Knowledge

	2000 MICS		2005 AIS	
	Urban	Rural	Urban	Rural

COTE D'IVOIRE AIDS INDICATOR TABLES

#	Indicator	M	F	M	F	M	F	M	F
4.0.1	Heard of HIV/AIDS. Ages 15-49.		95		87	98	94.3	91.5	85.9
4.1	Knowledge of HIV prevention methods-composite of 2 components (prompted) Ages 15-49.		52		30				
4.1.1	Knowledge of HIV prevention methods - Composite of 3 components (prompted) Ages 15-49.		43		25				
4.1.2	Knowledge of HIV prevention methods - Use of condoms (prompted) Ages 15-49.		59		34	78.3	66.1	70.8	55.3
4.1.3	Knowledge of HIV prevention methods - Only one partner (prompted) Ages 15-49.		62		38				
4.1.4	Knowledge of HIV prevention methods - Abstain from sex (prompted) Ages 15-49.		55		33				
4.1.7	Knowledge of HIV prevention methods - Abstain from sex (spontaneous) Ages 15-49.					76.6	71.6	70.6	65.3
4.1.8	Knowledge of HIV prevention methods - Believe there is no way to avoid AIDS Ages 15-49.		11		23				
4.2	No incorrect beliefs about AIDS - Composite of 3 components Ages 15-49.		25		8				
4.2.1	No incorrect beliefs about AIDS - Healthy-looking person can have the AIDS virus Ages 15-49.		59		33	85	69.8	66.9	54.1
4.2.2	No incorrect beliefs about AIDS - AIDS cannot be transmitted by mosquito bites Ages 15-49.		43		19	58.1	45	41.7	35.5
4.2.3	No incorrect beliefs about AIDS - AIDS cannot be transmitted by supernatural means Ages 15-49.		48		29	67.7	50.4	56.3	41.7
4.2.4	No incorrect beliefs about AIDS - reported both 4.2.1 and 4.2.2 Ages 15-49.		33		11	40.9	24.6	24.7	18.2
4.2.5	No incorrect beliefs about AIDS - reported 4.2.1, 4.2.2, and 4.2.3 Ages 15-49.		25		8				
4.2.6	No incorrect beliefs about AIDS - Cannot become infected by sharing food with someone who has AIDS Ages 15-49.					71.5	67.4	58.6	51
4.5.2	Knowledge of prevention of MTCT - Can be prevented by mother avoiding breastfeeding Ages 15-49.					51.9	54	34.2	34.4
4.5.3	Knowledge of mother to child transmission of HIV Ages 15-49.		73		53	58.2	66.9	57.8	57.7

COTE D'IVOIRE AIDS INDICATOR TABLES

4.5.4	Knowledge of MTCT - During pregnancy Ages 15-49.		66		49				
4.5.5	Knowledge of MTCT - During delivery Ages 15-49.		54		43				
4.5.6	Knowledge of MTCT - Through breastfeeding Ages 15-49.		55		48				
4.5.7	Knowledge of MTCT - During pregnancy, delivery, and breast feeding Ages 15-49.		41		38				
4.6	Comprehensive correct knowledge about AIDS (2 ways to prevent AIDS and reject 3 misconceptions) Ages 15-49.		19		6				
4.6.1	Comprehensive correct knowledge about AIDS (3 ways to prevent AIDS and reject 3 misconceptions) Ages 15-49.		16		5				
4.7	Comprehensive correct knowledge about AIDS among young people age 15-24 (2 ways to prevent AIDS and reject 3 misconceptions)					31.7	19	23.9	16.9

Voluntary Counseling and Testing

#	Indicator	2000 MICS				2005 AIS			
		Urban		Rural		Urban		Rural	
		M	F	M	F	M	F	M	F
5.1	Population requesting an HIV test, receiving a test and receiving test results. Ages 15-49.		7		2	11	14.9	5.2	7.4
5.1.1	Population receiving an HIV test. Ages 15-49.		10		3				
5.1.2	Population receiving a test and receiving test results in the last 12 months.					4.7	5	1.9	2.5
5.6	HIV testing behavior among young people, sexually active in the last 12 months					5.4	3.9	1.2	2.6

Mother to Child Transmission

#	Indicator	2005 AIS			
		Urban		Rural	
		M	F	M	F

COTE D'IVOIRE AIDS INDICATOR TABLES

6.1	Pregnant women counseled and tested for HIV. Ages 15-49.		10.9		5
6.6.1	Pregnant women counseled for HIV during ANC visit		22.5		8.5
6.1.2	Pregnant women tested for HIV during ANC visit		16.4		6.1

Sexual Negotiation and Attitudes

		2005 AIS			
		Urban		Rural	
#	Indicator	M	F	M	F
7.1	Women's ability to negotiate safer sex with husband. Ages 15-49.	94.5	83.6	91.1	77.2

Sexual Behavior

		2005 AIS			
		Urban		Rural	
#	Indicator	M	F	M	F
8.1	Higher risk sex in the last year. Ages 15-49.	64.7	40.9	52.3	26.7
8.1.1	Multiple partners in the last year Ages 15-49.	32	6.7	29.2	2.7
8.2	Condom use at last higher risk sex. Ages 15-49.	60.6	40.4	41.8	24.8
8.2a	<i>Condom use at last higher risk sex. Ages 15-19.</i>	<i>M: 57.2</i>		<i>F: 40.2</i>	
8.2b	<i>Condom use at last higher risk sex. Ages 20-24.</i>	<i>M: 49.8</i>		<i>F: 38.2</i>	
8.2c	<i>Condom use at last higher risk sex. Ages 25-29.</i>	<i>M: 51.7</i>		<i>F: 33</i>	
8.3	Commercial sex in last year. Ages 15-49.	2.2		2.2	

Young People's Sexual Behavior

		2005 AIS			
		Urban		Rural	
#	Indicator	M	F	M	F
9.1.1	Abstinence of never-married young men and women. Ages 15-24.	29.3	36.2	34.3	29.8
9.1.1a	<i>Abstinence of never-married young men and women. Ages 15-19.</i>	<i>M: 50</i>		<i>F: 43.3</i>	

COTE D'IVOIRE AIDS INDICATOR TABLES

9.1.1b	<i>Abstinence of never-married young men and women. Ages 20-24.</i>	<i>M: 11.4</i>		<i>F: 10.2</i>	
9.1.2	Sex before the age of 15 Ages 15-24	14.8	15.6	15.9	23.1
9.1.3	Sex before the age of 18 Ages 18-24	56.7	68	56.2	61.2
9.2	Young people having premarital sex in last year. Ages 15-24.	58.4	55.1	54	61.2
9.2a	<i>Young people having premarital sex in last year. Ages 15-19.</i>	<i>M: 40</i>		<i>F: 51.1</i>	
9.2b	<i>Young people having premarital sex in last year. Ages 20-24.</i>	<i>M: 74.4</i>		<i>F: 73.5</i>	
9.3	Young people using a condom during premarital sex. Ages 15-24.	61.4	47	45.6	34.3
9.5	Young people using a condom at last higher risk sex. Ages 15-24.	59.8	46	45.6	31.4
9.6	Condom use at first sex. Ages 15-24.	49.4	32.4	35	26
9.7	Age-mixing in sexual relationships (young women age 15-19, non-marital, non-cohabiting partner in the last 12 months)		35.8		27
9.9	Sex among young people while they are intoxicated	4.7	2.3	0	0

STI Care and Prevention

#	Indicator	2005 AIS	
		M	F
12.4	Men and women seeking treatment for STIs. Ages 15-49.	69	49

Social Impact

#	Indicator	2005 AIS	
		Urban	Rural
14.2	Percentage of children under 18 who are vulnerable	16	15.6
14.3	Prevalence of orphanhood under 18 who are orphans-- mother, father or both dead	9	7.6

COTE D'IVOIRE AIDS INDICATOR TABLES

14.5	Ratio of orphans to non-orphans who are in school - mother, father or both dead	1.1	1.3
------	--	-----	-----

HIV Prevalence

#	Indicator	2003 UNAIDS M/F	2005 AIS			
			Urban		Rural	
			M	F	M	F
15.1	HIV prevalence among young people aged 15-24.		0.4	3.1	0.2	1.6
15.1a	<i>HIV prevalence among young people. Ages 15-19.</i>		<i>M: 0.2</i>		<i>F: 0.4</i>	
15.1b	<i>HIV prevalence among young people. Ages 20-24.</i>		<i>M: 0.3</i>		<i>F: 4.5</i>	
15.2	HIV prevalence among general population. Ages 15-49.		3.2	7.4	2.5	5.5
	HIV prevalence among general population. Ages 15-49. (sexes combined)	7	4.7			
15.2a	<i>HIV prevalence among general population. Ages 15-19.</i>		<i>M: 0.2</i>		<i>F: 0.4</i>	
15.2b	<i>HIV prevalence among general population. Ages 20-24.</i>		<i>M: 0.3</i>		<i>F: 4.5</i>	
15.2c	<i>HIV prevalence among general population. Ages 25-49.</i>		<i>M: 2</i>		<i>F: 5.2</i>	

Notes: Numbers indicate percentages unless otherwise stated
 Figures marked with an asterisk are based on small denominators (typically 25-49 unweighted cases).
 Figures with denominators less than 25 cases are not displayed.