

MOZAMBIQUE AIDS INDICATOR TABLES

**MOZAMBIQUE**

**Source** DHS: Demographic and Health Survey

**Condom Availability and Quality**

#	Indicator	2003 DHS			
		Urban		Rural	
		M	F	M	F
2.4	Adult support of education on condom use for prevention of HIV/AIDS among young people Ages 15-49.	67	74	60	56
2.5	Knowledge of a formal source of condoms among young people. Ages 15-24.	70	70	55	40

**Stigma and Discrimination**

#	Indicator	2003 DHS			
		Urban		Rural	
		M	F	M	F
3.1	Accepting attitudes towards those living with HIV – Composite of 4 components. Ages 15-49.	23	14	9	4
3.1.1	Accepting attitudes - Willing to care for family member sick with AIDS (1) Ages 15-49.	86	87	79	77
3.1.2	Accepting attitudes - Would buy fresh vegetables from a shopkeeper with AIDS (2) Ages 15-49.	51	44	31	22
3.1.3	Accepting attitudes - Female teacher who is HIV+ but not sick should be allowed to continue teaching in school (3) Ages 15-49.	71	72	54	47
3.1.4	Accepting attitudes - Not secretive about family member's HIV status (4) Ages 15-49.	54	41	54	46
3.1.5	Accepting attitudes - Approving of (2) food vendors and (3) teachers (MICS) Ages 15-49.	45	41	23	17
3.1.6	Accepting attitudes - (1) caring and (3) approving teachers. Ages 15-49.	66	68	47	42

**Knowledge**

#	Indicator	2003 DHS			
		Urban		Rural	
		M	F	M	F
4.0.1	Heard of HIV/AIDS. Ages 15-49.	100	99	96	94
4.1	Knowledge of HIV prevention methods-composite of 2 components (prompted) Ages 15-49.	66	58	56	38
4.1.1	Knowledge of HIV prevention methods - Composite of 3 components (prompted) Ages 15-49.	57	42	48	30
4.1.2	Knowledge of HIV prevention methods - Use of condoms (prompted) Ages 15-49.	79	69	61	44
4.1.3	Knowledge of HIV prevention methods - Only one partner (prompted) Ages 15-49.	69	64	63	46
4.1.4	Knowledge of HIV prevention methods - Abstain from sex (prompted) Ages 15-49.	68	54	58	42

## MOZAMBIQUE AIDS INDICATOR TABLES

4.1.5	Knowledge of HIV prevention methods - Use of condoms (spontaneous) Ages 15-49.	78	70	50	37
4.1.6	Knowledge of HIV prevention methods - Only one/limiting partner (spontaneous) Ages 15-49.	52	47	55	43
4.1.7	Knowledge of HIV prevention methods - Abstain from sex (spontaneous) Ages 15-49.	14	11	11	8
4.1.8	Knowledge of HIV prevention methods - Believe there is no way to avoid AIDS Ages 15-49.	10	14	17	27
<b>4.2</b>	<b>No incorrect beliefs about AIDS - Composite of 3 components Ages 15-49.</b>	44	37	33	15
4.2.1	No incorrect beliefs about AIDS - Healthy-looking person can have the AIDS virus Ages 15-49.	87	75	77	55
4.2.2	No incorrect beliefs about AIDS - AIDS cannot be transmitted by mosquito bites Ages 15-49.	52	49	45	29
4.2.4	No incorrect beliefs about AIDS - reported both 4.2.1 and 4.2.2 Ages 15-49.	48	42	41	19
4.2.6	No incorrect beliefs about AIDS - Cannot become infected by sharing food with someone who has AIDS Ages 15-49.	69	61	49	35
<b>4.5</b>	<b>Knowledge of prevention of mother to child transmission of HIV Ages 15-49.</b>	41	35	25	21
4.5.1	Knowledge of prevention of MTCT - Can be prevented by mother taking ART during pregnancy Ages 15-49.	58	44	29	23
4.5.2	Knowledge of prevention of MTCT - Can be prevented by mother avoiding breastfeeding Ages 15-49.	55	58	48	46
4.5.3	Knowledge of mother to child transmission of HIV Ages 15-49.	80	74	58	53
4.5.4	Knowledge of MTCT - During pregnancy Ages 15-49.	76	71	56	51
4.5.5	Knowledge of MTCT - During delivery Ages 15-49.	59	59	50	46
4.5.6	Knowledge of MTCT - Through breastfeeding Ages 15-49.	55	58	48	46
4.5.7	Knowledge of MTCT - During pregnancy, delivery, and breast feeding Ages 15-49.	44	49	43	42
<b>4.6</b>	<b>Comprehensive correct knowledge about AIDS (2 ways to prevent AIDS and reject 3 misconceptions) Ages 15-49.</b>	36	29	27	11
4.6.1	Comprehensive correct knowledge about AIDS (3 ways to prevent AIDS and reject 3 misconceptions) Ages 15-49.	32	21	24	9
<b>4.7</b>	<b>Comprehensive correct knowledge about AIDS among young people age 15-24 (2 ways to prevent AIDS and reject 3 misconceptions)</b>	36	31	29	12

## Voluntary Counseling and Testing

		2003 DHS			
		Urban		Rural	
#	Indicator	M	F	M	F

## MOZAMBIQUE AIDS INDICATOR TABLES

5.1	Population requesting an HIV test, receiving a test and receiving test results. Ages 15-49.	7	7	1	1
5.1.1	Population receiving an HIV test. Ages 15-49.	8	9	1	1
5.1.2	Population receiving a test and receiving test results in the last 12 months.	5	6	1	0
5.6	HIV testing behavior among young people, sexually active in the last 12 months	6	9	1	1

## Mother to Child Transmission

		2003 DHS			
		Urban		Rural	
#	Indicator	M	F	M	F
6.6.1	Pregnant women counseled for HIV during ANC visit		70		44
6.1.2	Pregnant women tested for HIV during ANC visit		8		0.9

## Sexual Negotiation and Attitudes

		2003 DHS			
		Urban		Rural	
#	Indicator	M	F	M	F
7.1	Women's ability to negotiate safer sex with husband. Ages 15-49.	95	92	93	87

## Sexual Behavior

		2003 DHS			
		Urban		Rural	
#	Indicator	M	F	M	F
<b>8.1</b>	<b>Higher risk sex in the last year. Ages 15-49.</b>	65	38	33	15
8.1.1	Multiple partners in the last year Ages 15-49.	40	9	29	5
<b>8.2</b>	<b>Condom use at last higher risk sex. Ages 15-49.</b>	42	34	19	8
<b>8.2a</b>	<b>Condom use at last higher risk sex. Ages 15-</b>	<i>M: 30</i>		<i>F: 30</i>	
<b>8.2b</b>	<b>Condom use at last higher risk sex. Ages 20-</b>	<i>M: 38</i>		<i>F: 27</i>	
<b>8.2c</b>	<b>Condom use at last higher risk sex. Ages 25-</b>	<i>M: 33</i>		<i>F: 16</i>	
8.2.1	Condom use at last sex with a spouse or cohabiting partner. Ages 15-49.	5	4	1	1
8.2.2	Condom use at last sex with anyone.	23	14	5	1
<b>8.3</b>	<b>Commercial sex in last year. Ages 15-49.</b>	11		12	
<b>8.4</b>	<b>Condom use at last commercial sex, reported by client. Male only. Ages 15-49.</b>	35		12	

## Young People's Sexual Behavior

		2003 DHS			
		Urban		Rural	
#	Indicator	M	F	M	F
9.1	Median age at first sex among young men and women. Ages 15-24.	16.1	16.3	16.6	15.8

## MOZAMBIQUE AIDS INDICATOR TABLES

9.1.1	Abstinence of never-married young men and women. Ages 15-24.	21	34	34	47
9.1.2	Sex before the age of 15 Ages 15-24	25	21	28	33
9.1.3	Sex before the age of 18 Ages 20-24	65	74	63	82
<b>9.2</b>	<b>Young people having premarital sex in last year. Ages 15-24.</b>	73	60	58	44
<b>9.3</b>	<b>Young people using a condom during premarital sex. Ages 15-24.</b>	43	44	20	14
<b>9.4</b>	<b>Young people having multiple partners last year. Ages 15-24.</b>	44	11	32	6
<b>9.5</b>	<b>Young people using a condom at last higher risk sex. Ages 15-24.</b>	42	40	18	10
9.5.1	Young people using a condom at last higher risk sex of all young people surveyed.	30	16	9	2
9.6	Condom use at first sex. Ages 15-24.	11	17	4	2
<b>9.7</b>	<b>Age-mixing in sexual relationships (young women age 15-19, non-marital, non-cohabiting partner in the last 12 months)</b>		4		2
9.7.1	Age-mixing in sexual partnerships (young women age 15-24, any partner in the last 12 months)		1		0
9.10	<b>Sex with commercial sex workers among young people.</b>	13		19	

## STI Care and Prevention

#	Indicator	2003 DHS			
		Urban		Rural	
		M	F	M	F
12.4	<b>Men and women seeking treatment for STIs. Ages 15-49.</b>	78	74	59	55

## Social Impact

#	Indicator	2003 DHS	
		Urban	Rural
14.4	<b>Prevalence of orphanhood among children under 15 -- mother, father or both dead</b>	10	9.9
14.4.1	Prevalence of orphanhood among children under 15- mother and father both dead	1.2	1.3
14.4.2	Prevalence of orphanhood among children under 15- mother dead (or both dead)	3.7	4
14.4.3	Prevalence of orphanhood among children under 15- mother dead, father alive	2.5	2.5
14.4.4	Prevalence of orphanhood among children under 15- father dead (or both dead)	7.4	7.3
14.4.5	Prevalence of orphanhood among children under 15- father dead, mother alive	6.3	5.9
14.5	<b>Ratio of orphans to non-orphans who are in school - mother, father or both dead</b>	0.9	0.9
14.5.1	Ratio of orphans to non-orphans who are in school - mother and father both dead	0.9	0.7

MOZAMBIQUE AIDS INDICATOR TABLES

14.5.2	Ratio of orphans to non-orphans who are in school mother dead (or both dead)	0.8	0.8
14.5.3	Ratio of orphans to non-orphans who are in school mother dead, father alive	0.8	0.8
14.5.4	Ratio of orphans to non-orphans who are in school father dead (or both dead)	0.9	0.9
14.5.5	Ratio of orphans to non-orphans who are in school father dead, mother alive	1	1

**HIV Prevalence**

#	Indicator	2003 UNAIDS		2005 UNAIDS	
		M	F	M	F
15.1	HIV prevalence among young people aged 15-24.			3.6	10.7
	<b>HIV prevalence among general population. Ages 15-49. (sexes combined)</b>	16		16.1	

Notes: Numbers indicate percentages unless otherwise stated  
 Figures marked with an asterisk are based on small denominators (typically 25-49 unweighted cases).  
 Figures with denominators less than 25 cases are not displayed.  
 Bolded indicators are PEPFAR-specific indicators