

NAMIBIA AIDS INDICATOR TABLES

NAMIBIA

Source DHS: Demographic and Health Survey

Condom Availability and Quality

#	Indicator	2000 DHS				2007 DHS			
		Urban		Rural		Urban		Rural	
		M	F	M	F	M	F	M	F
2.4	Adult support of education on condom use for prevention of HIV/AIDS among young people Ages 15-49.	84	87	77	77				
2.5	Knowledge of a formal source of condoms among young people. Ages 15-24.	93	93	84	81				

Stigma and Discrimination

#	Indicator	2000 DHS				2007 DHS			
		Urban		Rural		Urban		Rural	
		M	F	M	F	M	F	M	F
3.1	Accepting attitudes towards those living with HIV – Composite of 4 components. Ages 15-49.								
3.1.1	Accepting attitudes - Willing to care for family member sick with AIDS (1) Ages 15-49.	95	94	90	91				
3.1.2	Accepting attitudes - Would buy fresh vegetables from a shopkeeper with AIDS (2) Ages 15-49.								
3.1.3	Accepting attitudes - Female teacher who is HIV+ but not sick should be allowed to continue teaching in school (3) Ages 15-49.	54	73	56	65				
3.1.4	Accepting attitudes - Not secretive about family member's HIV status (4) Ages 15-49.	60	70	66	64				
3.1.6	Accepting attitudes - (1) caring and (3) approving teachers. Ages 15-49.	53	70	54	62				
3.1.7	Accepting attitudes - person allowed to keep HIV+ status private. Ages 15-49.	33	23	30	30				

Knowledge

NAMIBIA AIDS INDICATOR TABLES

6.6.1	Pregnant women counseled for HIV during ANC visit								
6.1.2	Pregnant women tested for HIV during ANC visit								

Sexual Negotiation and Attitudes

#	Indicator	2000 DHS				2007 DHS			
		Urban		Rural		Urban		Rural	
		M	F	M	F	M	F	M	F
7.1	Women's ability to negotiate safer sex with husband. Ages 15-49.	72	91	81	75				

Sexual Behavior

#	Indicator	2000 DHS				2007 DHS			
		Urban		Rural		Urban		Rural	
		M	F	M	F	M	F	M	F
8.1	Higher risk sex in the last year. Ages 15-49.	61	55	57	54				
8.1.1	Multiple partners in the last year Ages 15-49.	25	3	17	3				
8.2	Condom use at last higher risk sex. Ages 15-49.	71	50	63	37				
8.2a	<i>Condom use at last higher risk sex. Ages 15-</i>								
8.2b	<i>Condom use at last higher risk sex. Ages 20-</i>								
8.2c	<i>Condom use at last higher risk sex. Ages 25-</i>								
8.2.1	Condom use at last sex with a spouse or cohabiting partner. Ages 15-49.	14	16	21	8				
8.2.2	Condom use at last sex with anyone.	46	34	44	24				
8.3	Commercial sex in last year. Ages 15-49.	2		1					
8.4	Condom use at last commercial sex, reported by client. Male only. Ages 15-49.	62*		62*					

Young People's Sexual Behavior

#	Indicator	2000 DHS				2007 DHS			
		Urban		Rural		Urban		Rural	
		M	F	M	F	M	F	M	F
9.1	Median age at first sex among young men and women. Ages 15-24.	16.8	17.3	16.3	17.6				

NAMIBIA AIDS INDICATOR TABLES

9.1.1	Abstinence of never-married young men and women. Ages 15-24.	22	32	23	41				
9.1.2	Sex before the age of 15 Ages 15-24	23	7	30	10				
9.1.3	Sex before the age of 18 Ages 20-24	73	44	66	47				
9.2	Young people having premarital sex in last year. Ages 15-24.	64	48	56	44				
9.3	Young people using a condom during premarital sex. Ages 15-24.	79	61	66	44				
9.4	Young people having multiple partners last year. Ages 15-24.	30	4	20	4				
9.5	Young people using a condom at last higher risk sex. Ages 15-24.	79	57	63	43				
9.5.1	Young people using a condom at last higher risk sex of all young people surveyed.	48	25	30	18				
9.6	Condom use at first sex. Ages 15-24.								

STI Care and Prevention

#	Indicator	2000 DHS				2007 DHS			
		Urban		Rural		Urban		Rural	
		M	F	M	F	M	F	M	F
12.4	Men and women seeking treatment for STIs. Ages 15-49.			71*					

Social Impact

#	Indicator	2000 DHS				2007 DHS			
		Urban		Rural		Urban		Rural	
		M	F	M	F	M	F	M	F
14.4	Prevalence of orphanhood among children under 15 -- mother, father or both dead	8	7	13.2	11.8				
14.4.1	Prevalence of orphanhood among children under 15- mother and father both dead	1	1.1	1.2	1				
14.4.2	Prevalence of orphanhood among children under 15- mother dead (or both dead)	2.7	3	4.1	3.6				
14.4.3	Prevalence of orphanhood among children under 15- mother dead, father alive	1.6	1.8	2.7	2.4				

NAMIBIA AIDS INDICATOR TABLES

Notes: Numbers indicate percentages unless otherwise stated
Figures marked with an asterisk are based on small denominators (typically 25-49 unweighted cases).
Figures with denominators less than 25 cases are not displayed.
Bolded indicators are PEPFAR-specific indicators