

NIGERIA AIDS INDICATOR TABLES

NIGERIA

Source DHS: Demographic and Health Survey

Condom Availability and Quality

#	Indicator	2003 DHS			
		Urban		Rural	
		M	F	M	F
2.4	Adult support of education on condom use for prevention of HIV/AIDS among young people Ages 15-49.	45	43	43	33
2.5	Knowledge of a formal source of condoms among young people. Ages 15-24.	67	35	52	18

Stigma and Discrimination

#	Indicator	2003 DHS			
		Urban		Rural	
		M	F	M	F
3.1	Accepting attitudes towards those living with HIV – Composite of 4 components. Ages 15-49.	8	4	6	3
3.1.1	Accepting attitudes - Willing to care for family member sick with AIDS (1) Ages 15-49.	35	46	43	42
3.1.2	Accepting attitudes - Would buy fresh vegetables from a shopkeeper with AIDS (2) Ages 15-49.	33	26	24	16
3.1.3	Accepting attitudes - Female teacher who is HIV+ but not sick should be allowed to continue teaching in school (3) Ages 15-49.	32	28	24	20
3.1.4	Accepting attitudes - Not secretive about family member's HIV status (4) Ages 15-49.	68	59	72	62
3.1.5	Accepting attitudes - Approving of (2) food vendors and (3) teachers (MICS) Ages 15-49.	20	14	12	7
3.1.6	Accepting attitudes - (1) caring and (3) approving teachers. Ages 15-49.	19	19	14	14

Knowledge

#	Indicator	2003 DHS			
		Urban		Rural	
		M	F	M	F
4.0.1	Heard of HIV/AIDS. Ages 15-49.	99	95	96	82
4.1	Knowledge of HIV prevention methods-composite of 2 components (prompted) Ages 15-49.	63	55	56	36
4.1.1	Knowledge of HIV prevention methods - Composite of 3 components (prompted) Ages 15-49.	51	41	44	28
4.1.2	Knowledge of HIV prevention methods - Use of condoms (prompted) Ages 15-49.	68	58	58	38
4.1.3	Knowledge of HIV prevention methods - Only one partner (prompted) Ages 15-49.	82	73	78	53
4.1.4	Knowledge of HIV prevention methods - Abstain from sex (prompted) Ages 15-49.	67	57	65	42

NIGERIA AIDS INDICATOR TABLES

4.1.5	Knowledge of HIV prevention methods - Use of condoms (spontaneous) Ages 15-49.	31	19	24	9
4.1.6	Knowledge of HIV prevention methods - Only one partner (spontaneous) Ages 15-49.	32	45	32	30
4.1.7	Knowledge of HIV prevention methods - Abstain from sex (spontaneous) Ages 15-49.	28	19	27	16
4.1.8	Knowledge of HIV prevention methods - Believe there is no way to avoid AIDS Ages 15-49.	2	2	2	3
4.2	No incorrect beliefs about AIDS - Composite of 3 components Ages 15-49.	45	38	27	20
4.2.1	No incorrect beliefs about AIDS - Healthy-looking person can have the AIDS virus Ages 15-49.	80	69	67	45
4.2.2	No incorrect beliefs about AIDS - AIDS cannot be transmitted by mosquito bites Ages 15-49.	53	50	38	30
4.2.3	No incorrect beliefs about AIDS - AIDS cannot be transmitted by supernatural means Ages 15-49.	57	51	50	34
4.2.4	No incorrect beliefs about AIDS - reported both 4.2.1 and 4.2.2 Ages 15-49.	48	41	29	21
4.2.5	No incorrect beliefs about AIDS - reported 4.2.1, 4.2.2, and 4.2.3 Ages 15-49.	36	30	22	16
4.2.6	No incorrect beliefs about AIDS - Cannot become infected by sharing food with someone who has AIDS Ages 15-49.	66	59	52	38
4.5	Knowledge of prevention of mother to child transmission of HIV Ages 15-49.	5	3	3	1
4.5.1	Knowledge of prevention of MTCT - Can be prevented by mother taking ART during pregnancy Ages 15-49.	7	4	5	2
4.5.2	Knowledge of prevention of MTCT - Can be prevented by mother avoiding breastfeeding Ages 15-49.	56	57	55	40
4.5.3	Knowledge of mother to child transmission of HIV Ages 15-49.	67	66	62	45
4.5.4	Knowledge of MTCT - During pregnancy Ages 15-49.	65	63	58	43
4.5.5	Knowledge of MTCT - During delivery Ages 15-49.	55	56	52	39
4.5.6	Knowledge of MTCT - Through breastfeeding Ages 15-49.	56	57	55	40
4.5.7	Knowledge of MTCT - During pregnancy, delivery, and breast feeding Ages 15-49.	50	51	49	36
4.6	Comprehensive correct knowledge about AIDS (2 ways to prevent AIDS and reject 3 misconceptions) Ages 15-49.	34	28	19	14
4.6.1	Comprehensive correct knowledge about AIDS (3 ways to prevent AIDS and reject 3 misconceptions) Ages 15-49.	28	21	16	11
4.7	Comprehensive correct knowledge about AIDS among young people age 15-24 (2 ways to prevent AIDS and reject 3 misconceptions)	30	27	15	13

NIGERIA AIDS INDICATOR TABLES

Voluntary Counseling and Testing

		2003 DHS			
		Urban		Rural	
#	Indicator	M	F	M	F
5.1	Population requesting an HIV test, receiving a test and receiving test results. Ages 15-49.	8	7	6	2
5.1.1	Population receiving an HIV test. Ages 15-49.	17	13	12	4
5.1.2	Population receiving a test and receiving test results in the last 12 months.	7	5	5	2
5.6	HIV testing behavior among young people, sexually active in the last 12 months	15	7	6	2

Mother to Child Transmission

		2003 DHS			
		Urban		Rural	
#	Indicator	M	F	M	F
6.6.1	Pregnant women counseled for HIV during ANC visit		44		16

Sexual Negotiation and Attitudes

		2003 DHS			
		Urban		Rural	
#	Indicator	M	F	M	F
7.1	Women's ability to negotiate safer sex with husband. Ages 15-49.	97	92	94	87

Sexual Behavior

		2003 DHS			
		Urban		Rural	
#	Indicator	M	F	M	F
8.1	Higher risk sex in the last year. Ages 15-49.	41	19	31	11
8.1.1	Multiple partners in the last year Ages 15-49.	20	3	21	2
8.2	Condom use at last higher risk sex. Ages 15-49.	59	30	37	18
8.2a	Condom use at last higher risk sex. Ages 15-	M: 33		F: 22	
8.2b	Condom use at last higher risk sex. Ages 20-	M: 53		F: 26	
8.2c	Condom use at last higher risk sex. Ages 25-	M: 47		F: 22	
8.2.1	Condom use at last sex with a spouse or cohabiting partner. Ages 15-49.	9	3	3	1
8.2.2	Condom use at last sex with anyone.	24	8	11	3
8.3	Commercial sex in last year. Ages 15-49.	2		3	
8.4	Condom use at last commercial sex, reported by client. Male only. Ages 15-49.	-		41*	

Young People's Sexual Behavior

		2003 DHS			
		Urban		Rural	
#	Indicator	M	F	M	F

NIGERIA AIDS INDICATOR TABLES

9.1	Median age at first sex among young men and women. Ages 15-24.	22.1	18.2	19.8	16.7
9.1.1	Abstinence of never-married young men and women. Ages 15-24.	64	62	61	61
9.1.2	Sex before the age of 15 Ages 15-24	5	11	7	26
9.1.3	Sex before the age of 18 Ages 20-24	15	39	28	62
9.2	Young people having premarital sex in last year. Ages 15-24.	29	31	28	32
9.2a	Young people having premarital sex in last year. Ages 15-19.	M: 17		F: 23	
9.2b	Young people having premarital sex in last year. Ages 20-24.	M: 43		F: 49	
9.3	Young people using a condom during premarital sex. Ages 15-24.	64	36	34	17
9.4	Young people having multiple partners last year. Ages 15-24.	22	5	26	3
9.5	Young people using a condom at last higher risk sex. Ages 15-24.	62	34	35	18
9.5.1	Young people using a condom at last higher risk sex of all young people surveyed.	17	7	9	3
9.6	Condom use at first sex. Ages 15-24.	27	12	11	4
9.7	Age-mixing in sexual relationships (young women age 15-19, non-marital, non-cohabiting partner in the last 12 months)		15		10
9.7.1	Age-mixing in sexual partnerships (young women age 15-24, any partner in the last 12 months)		3		1

STI Care and Prevention

#	Indicator	2003 DHS			
		Urban		Rural	
		M	F	M	F
12.4	Men and women seeking treatment for STIs. Ages 15-49.	23*	55	33*	35

Social Impact

#	Indicator	2003 DHS	
		Urban	Rural
14.4	Prevalence of orphanhood among children under 15 -- mother, father or both dead	7.1	5.8
14.4.1	Prevalence of orphanhood among children under 15- mother and father both dead	0.6	0.6
14.4.2	Prevalence of orphanhood among children under 15- mother dead (or both dead)	2.8	2.5
14.4.3	Prevalence of orphanhood among children under 15- mother dead, father alive	2.2	2
14.4.4	Prevalence of orphanhood among children under 15- father dead (or both dead)	4.9	3.8
14.4.5	Prevalence of orphanhood among children under 15- father dead, mother alive	4.3	3.3

NIGERIA AIDS INDICATOR TABLES

14.5	Ratio of orphans to non-orphans who are in school - mother, father or both dead	1.02	1.06
14.5.1	Ratio of orphans to non-orphans who are in school mother and father both dead		
14.5.2	Ratio of orphans to non-orphans who are in school mother dead (or both dead)	0.99	0.96
14.5.3	Ratio of orphans to non-orphans who are in school mother dead, father alive	1.04	1.09
14.5.4	Ratio of orphans to non-orphans who are in school father dead (or both dead)	1.01	1.05
14.5.5	Ratio of orphans to non-orphans who are in school father dead, mother alive	1.05	1.15

HIV Prevalence

#	Indicator	2003 UNAIDS		2005 UNAIDS	
		M	F	M	F
15.1	HIV prevalence among young people aged 15-24.			0.9	2.7
	HIV prevalence among general population. Ages 15-49. (sexes combined)	3.7		3.9	

Notes: Numbers indicate percentages unless otherwise stated
 Figures marked with an asterisk are based on small denominators (typically 25-49 unweighted cases).
 Figures with denominators less than 25 cases are not displayed.
 Bolded indicators are PEPFAR-specific indicators