

GUYANA AIDS INDICATOR TABLES

GUYANA

Sources MICS: Multiple Indicator Cluster Survey
 AIS: AIDS Indicator Survey
 2003/2005 UNAIDS Report on the Global AIDS Epidemic

Condom Availability and Quality

#	Indicator	2005 AIS			
		Urban		Rural	
		M	F	M	F
9.3	Adult support of education on condom use for prevention of HIV/AIDS among young people Ages 15-49.	81.2	83	84.6	80.2
11.1.2	Knowledge of a formal source of condoms among young people. Ages 15-24.	94.8	85.7	89.8	78.1

Stigma and Discrimination

#	Indicator	2000 MICS				2005 AIS			
		Urban		Rural		Urban		Rural	
		M	F	M	F	M	F	M	F
3.1	Accepting attitudes towards those living with HIV – Composite of 4 components. Ages 15-49.					29.8	26.6	15.3	16.2
3.1.1	Accepting attitudes - Willing to care for family member sick with AIDS (1) Ages 15-49.					85.4	85	74.7	74.7
3.1.2	Accepting attitudes - Would buy fresh vegetables from a shopkeeper with AIDS (2) Ages 15-49.		15		9	54.5	56.6	36.8	39.3
3.1.3	Accepting attitudes - Female teacher who is HIV+ but not sick should be allowed to continue teaching in school (3) Ages 15-49.		51		32	70.8	74.9	44.3	53.2
	Accepting attitudes - Not secretive about family member's HIV status (4). Ages 15-49.					60.8	54.4	59	61
3.1.5	Accepting attitudes - Approving of (2) food vendors and (3) teachers (MICS) Ages 15-49.		13		7				

Knowledge

GUYANA AIDS INDICATOR TABLES

#	Indicator	2000 MICS				2005 AIS			
		Urban		Rural		Urban		Rural	
		M	F	M	F	M	F	M	F
4.0.1	Heard of HIV/AIDS. Ages 15-49.		100		95	99.2	99.8	97.8	97.6
4.1	Knowledge of HIV prevention methods-composite of 2 components (prompted) Ages 15-49.		58		60	86.8	82.3	78	73.5
4.1.1	Knowledge of HIV prevention methods - Composite of 3 components (prompted) Ages 15-49.		43		43				
4.1.2	Knowledge of HIV prevention methods - Use of condoms (prompted) Ages 15-49.		69		66	90.2	86.9	82.9	79.7
4.1.3	Knowledge of HIV prevention methods - Only one partner (prompted) Ages 15-49.		78		72	92.8	91.5	87.9	84.9
4.1.4	Knowledge of HIV prevention methods - Abstain from sex (prompted) Ages 15-49.		65		55	91.7	92.3	84	85.7
4.1.8	Knowledge of HIV prevention methods - Believe there is no way to avoid AIDS Ages 15-49.		7		16				
4.2	No incorrect beliefs about AIDS - Composite of 3 components Ages 15-49.		54		41	64.6	70.9	45.4	52.7
4.2.1	No incorrect beliefs about AIDS - Healthy-looking person can have the AIDS virus Ages 15-49.		93		81	95	95.2	87.7	85.4
4.2.2	No incorrect beliefs about AIDS - AIDS cannot be transmitted by mosquito bites Ages 15-49.		60		48	72.3	78.6	56.7	65.7
4.2.3	No incorrect beliefs about AIDS - AIDS cannot be transmitted by supernatural means Ages 15-49.		83		70	89.1	90.6	84	84.1
4.2.4	No incorrect beliefs about AIDS - reported both 4.2.1 and 4.2.2 Ages 15-49.		57		44				
4.2.5	No incorrect beliefs about AIDS - reported 4.2.1, 4.2.2, and 4.2.3 Ages 15-49.		54		41				
4.2.6	No incorrect beliefs about AIDS - Cannot become infected by sharing food with someone who has AIDS Ages 15-49.					83.4	88.9	70.6	73.7
8.3	Knowledge of prevention of MTCT - Can be prevented by mother taking ART during pregnancy. Ages 15-49.					47.6	61.9	31.6	41.3
4.5.3	Knowledge of mother to child transmission of HIV Ages 15-49.		88		82	37.5	52.7	24	32.3

GUYANA AIDS INDICATOR TABLES

4.5.4	Knowledge of MTCT - During pregnancy Ages 15-49.		83		77				
4.5.5	Knowledge of MTCT - During delivery Ages 15-49.		62		55				
4.5.6	Knowledge of MTCT - Through breastfeeding Ages 15-49.		58		58	68.5	79.1	63.8	68.5
4.5.7	Knowledge of MTCT - During pregnancy, delivery, and breast feeding Ages 15-49.		44		42				
4.6	Comprehensive correct knowledge about AIDS (2 ways to prevent AIDS and reject 3 misconceptions) Ages 15-49.		34		31				
4.6.1	Comprehensive correct knowledge about AIDS (3 ways to prevent AIDS and reject 3 misconceptions) Ages 15-49.		26		23				
11.1.2	Comprehensive correct knowledge about AIDS among young people age 15-24 (2 ways to prevent AIDS and reject 3 misconceptions)					61.4	67.4	40.7	46.4

Voluntary Counseling and Testing

#	Indicator	2000 MICS				2005 AIS			
		Urban		Rural		Urban		Rural	
		M	F	M	F	M	F	M	F
5.1	Population requesting an HIV test, receiving a test and receiving test results. Ages 15-49.		18		12	29.5	38.3	15.5	21.3
5.1.1	Population receiving an HIV test. Ages 15-49.		20		14	31.5	41.3	17	23.2
10.5	Population receiving a test and receiving test results in the last 12 months.					15.1	16.3	8.3	9.1
11.8	HIV testing behavior among young people, sexually active in the last 12 months. Ages 15-24.					18.2	23.9	14	20.9

Mother to Child Transmission

#	Indicator	2005 AIS			
		Urban		Rural	
		M	F	M	F

GUYANA AIDS INDICATOR TABLES

6.1	Pregnant women counseled, tested, and received results for HIV. Ages 15-49.		8.1		3.6
6.6.1	Pregnant women counseled for HIV during ANC visit		68.6		44.4
6.1.2	Pregnant women tested for HIV and received results during ANC visit		8.8		4.1

Sexual Negotiation and Attitudes

		2005 AIS			
		Urban		Rural	
#	Indicator	M	F	M	F
7.1	Women's ability to negotiate safer sex with husband. Ages 15-49.	96.9	99	95.5	96.8

Sexual Behavior

		2005 AIS			
		Urban		Rural	
#	Indicator	M	F	M	F
8.1	Higher risk sex in the last year. Ages 15-49.	44.6	35.5	31.4	15.2
8.1.1	Multiple partners in the last year Ages 15-49.	12.2	2.3	8.3	1
8.2	Condom use at last higher risk sex. Ages 15-49.	69.6	51.3	63.9	48.5
8.2a	<i>Condom use at last higher risk sex. Ages 15-19.</i>	<i>M: 74.6</i>		<i>F: 67.9</i>	
8.2b	<i>Condom use at last higher risk sex. Ages 20-24.</i>	<i>M: 62</i>		<i>F: 55.5</i>	
8.3	Commercial sex in last year. Ages 15-49.	M: 1.0			

Young People's Sexual Behavior

		2005 AIS			
		Urban		Rural	
#	Indicator	M	F	M	F
10.1	Median age at first sex among young men and women. Ages 15-24.	M: 17.8		F: 18.4	
11.4	Abstinence of never-married young men and women. Ages 15-24.	40.8	53.1	51.5	71
11.2	Sex before the age of 15 Ages 15-24	14.8	8.2	12.1	8.8

GUYANA AIDS INDICATOR TABLES

11.2	Sex before the age of 18 Ages 18-24	75.7	62.7	64.3	56.8
11.4	Young people having premarital sex in last year. Ages 15-24.	45.3	40.4	38	21.1
11.4	<i>Young people having premarital sex in last year. Ages 15-19.</i>	<i>M: 28.5</i>		<i>F: 20.7</i>	
11.4	<i>Young people having premarital sex in last year. Ages 20-24.</i>	<i>M: 63.7</i>		<i>F: 43.9</i>	
11.4	Young people using a condom during last premarital sex. Ages 15-24.	73.7	65	67.6	62.7
11.5	Young people having multiple partners/high risk sex in last year. Ages 15-24.	86.6	59.5	77.4	31.5
11.5	<i>Young people having multiple partners/high risk sex in last year. Ages 15-19.</i>	<i>M: 95.5</i>		<i>F: 58.9</i>	
11.5	<i>Young people having multiple partners/high risk sex in last year. Ages 20-24.</i>	<i>M: 71.4</i>		<i>F: 31</i>	
11.5	Young people using a condom at last higher risk sex. Ages 15-24.	73.4	63.1	64.3	60.3
11.3	Condom use at first sex. Ages 15-24.	65.7	61.9	49.1	34.6
11.6	Age-mixing in sexual relationships (young women age 15-19, non-marital, non-cohabiting partner in the last 12 months)		5.7		10.5*
9.9	Sex among young people while they are intoxicated	1.7	1.5	0.9	1.3

STI Care and Prevention

		2005 AIS	
#	Indicator	M	F
10.7.2	Men and women seeking treatment for STIs. Ages 15-49.	24.8	39.4

Social Impact

		2005 AIS	
#	Indicator	Urban	Rural
2.8.1	Prevalence of orphanhood under 18 who are orphans-- mother, father or both dead	8	7

GUYANA AIDS INDICATOR TABLES

2.8.1	Prevalence of orphanhood under 15 who are orphans-- mother, father or both dead	9.6
2.8.1	Prevalence of orphanhood among children under 15- mother and father both dead	1.5
2.8.1	Prevalence of orphanhood among children under 15- mother dead, father alive	1.7
2.8.1	Prevalence of orphanhood among children under 15- father dead, mother alive	1

HIV Prevalence

#	Indicator	2003 UNAIDS	2005 UNAIDS
		M/F	M/F
	HIV prevalence among general population. Ages 15-49. (sexes combined)	2.4	2.5

Notes: Numbers indicate percentages unless otherwise stated
 Figures marked with an asterisk are based on small denominators (typically 25-49 unweighted cases).
 Figures with denominators less than 25 cases are not displayed.